SGS Germany GmbH Rödingsmarkt 16 20459 Hamburg

kitamura seicha co ltd.
425-19 Mukaekobamen sazacho
Kitamatsuuragun, Nagasakiken
JAPAN

**Test Report 4573032**
**Order No. 5169288**
**Customer No. 10183672**

Heike Höfelmeier
Phone +49 4030101-691
Fax +49 4030101-963
heike.hoefelmeier@sgs.com

Agriculture, Food

SGS Germany GmbH
Rödingsmarkt 16
20459 Hamburg

DAkkS Deutsche Akkreditierungsstelle D-PL-11020-04-01

Hamburg, 2019/11/27

Your order/project: .
Your purchase order date: 2019/11/01

This (e)Report cancels and supersedes the (e)Report No. 4569831 dated 26.11.2019 issued by SGS.

SGS Germany GmbH

Approved by: 27.11.2019 i.A. Heike Höfelmeier Customer Service Consultant Food.

**General Information:**

| | |
|---|---|
| Sample No.: | 191242788 |
| Sample: | organic green tea<br>F279 |
| Date of receipt: | 2019/11/14 |
| Testing period (begin / end): | 2019/11/14 / 2019/11/26 |
| Quantity: | 663g |
| Packaging: | Aluminium bag |

**Test Results:**

| Parameter | Method | Lab | Unit | Result | Limit of quantification | Requirements |
|---|---|---|---|---|---|---|
| **Constituents:** | | | | | | |
| Protein | DIN EN ISO 14891 | HH | g/100 g | 21.8 | 0.10 | |
| Fat | ASU L 06.00-6 | HH | g/100 g | 3.71 | 0.30 | |
| Dry matter | ISO 1572 | HH | g/100 g | 97.05 | 0.01 | |
| Total ash | ISO 1575 | HH | g/100 g | 4.96 | 0.01 | |
| Dietary fibre | ASU L 00.00-18, mod. | HH | g/100 g | 32.1 | 0.50 | |
| Carbohydrates | calculated | | g/100 g | 34.5 | 0.1 | |
| Energy value | calculated | | kcal/100g | 323 | 1 | |
| Energy value | calculated | | kJ/100g | 1351 | 1 | |

| | | | | | | |
|---|---|---|---|---|---|---|
| **Constituents:** | | | | | | |
| Common salt (calc. from sodium) | DIN EN 15621, mod. | HH | g/100 g | 0.023 | 0.001 | |

| | | | | | | |
|---|---|---|---|---|---|---|
| **Minerals/metals:** | | | | | | |
| Sodium | DIN EN 15621, mod. | HH | mg/100 g | 9.12 | 0.20 | |

| | | | | | | |
|---|---|---|---|---|---|---|
| **Constituents:** | | | | | | |
| Glucose | SOP M 2569, HPLC | HH | g/100 g | 0.6 | 0.2 | |
| Fructose | SOP M 2569, HPLC | HH | g/100 g | 1.0 | 0.2 | |
| Sucrose | SOP M 2569, HPLC | HH | g/100 g | 1.7 | 0.2 | |
| Maltose | SOP M 2569, HPLC | HH | g/100 g | < 0.2 | 0.2 | |
| Lactose | SOP M 2569, HPLC | HH | g/100 g | < 0.2 | 0.2 | |
| Sum of the determined sugars, calc. | | HH | g/100 g | 3.3 | | |

Approved by: 27.11.2019 i.A. Heike Höfelmeier Customer Service Consultant Food.

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Requirements |
| **Fatty acids (as methyl ester):** | | | | | | |
| Saturated fatty acids, calc. | | HH | g/100 g | 1.02 | | |
| Monounsaturated fatty acids, calc. | | HH | g/100 g | 0.95 | | |
| Polyunsaturated fatty acids, calc. | | HH | g/100 g | 1.50 | | |
| Trans fatty acids, calc. | | HH | g/100 g | 0.036 | | |
| Butyric acid (C 4:0) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Caproic acid (C 6:0) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Caprylic acid (C 8:0) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Capric acid (C 10:0) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Lauric acid (C 12:0) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Myristic acid (C 14:0) | ISO 12966 mod., GC/FID | HH | g/100 g | 0.030 | 0.010 | |
| Myristoleinic acid (C 14:1w5c) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Pentadecanoic acid (C 15:0) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Palmitic acid (C 16:0) | ISO 12966 mod., GC/FID | HH | g/100 g | 0.69 | 0.050 | |
| Hexadecenoic acid, cis-isomers (C 16:1-cis) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Palmitelaidic acid (C 16:1w7t) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.010 | 0.010 | |
| Heptadecanoic acid (C 17:0) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Heptadecenoic acid, cis-isomers (C 17:1-cis) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Stearic acid (C 18:0) | ISO 12966 mod., GC/FID | HH | g/100 g | 0.30 | 0.050 | |
| Octadecenoic acid, cis-isomers excl. C 18:1w9c (C 18:1-cis) | ISO 12966 mod., GC/FID | HH | g/100 g | 0.055 | 0.050 | |
| Octadecenoic acid, trans-isomers (C 18:1-trans) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.010 | 0.010 | |
| Oleic acid (C 18:1w9c) | ISO 12966 mod., GC/FID | HH | g/100 g | 0.89 | 0.050 | |
| Conjugated Linoleic acid CLA (C 18:2 Conj.) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Linoleic acid (C 18:2w6c) | ISO 12966 mod., GC/FID | HH | g/100 g | 0.49 | 0.050 | |
| Octadecadienoic acid, trans-isomers (C 18:2w6-trans) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.010 | 0.010 | |
| alpha Linolenic acid (C 18:3w3c) | ISO 12966 mod., GC/FID | HH | g/100 g | 1.01 | 0.050 | |
| Octadecatrienoic acid, trans-isomers (C 18:3w3-trans) | ISO 12966 mod., GC/FID | HH | g/100 g | 0.036 | 0.010 | |
| Arachidic acid (C 20:0) | ISO 12966 mod., | HH | g/100 g | < 0.050 | 0.050 | |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Requirements |
| | GC/FID | | | | | |
| Eicosenoic acid, cis-isomers (C 20:1-cis) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| cis-11,14-Eicosadienoic acid (C 20:2w6c) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Eicosatrienoic acid, cis-isomers (C 20:3-cis) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Arachidonic acid (C 20:4w6c) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Behenic acid (C 22:0) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Erucic acid (C 22:1w9c) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Docosaenoic acid, cis-isomers excl. C 22:1w9c (C 22:1-cis) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Lignoceric acid (C 24:0) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| Nervonic acid (C 24:1w9c) | ISO 12966 mod., GC/FID | HH | g/100 g | < 0.050 | 0.050 | |
| **Plant by-products:** | | | | | | |
| Epicatechin | DIN ISO 14502-2(1) | B2 | mg/100 g | 1315.0 | 0.010 | |
| Epicatechingallat | DIN ISO 14502-2(1) | B2 | mg/100 g | 2362.3 | 0.010 | |
| Epigallocatechin | DIN ISO 14502-2(1) | B2 | mg/100 g | 4817.0 | 0.010 | |
| Epigallocatechingallat | DIN ISO 14502-2(1) | B2 | mg/100 g | 8186.1 | 0.010 | |
| Catechin | DIN ISO 14502-2(1) | B2 | mg/100 g | 165.80 | 0.010 | |

(1) not accredited.

Approved by: 27.11.2019 i.A. Heike Höfelmeier Customer Service Consultant Food.

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |

Spectrum of analysis tea - Complete, Carbamates and Phenylurea,
state: November 2016

| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
|---|---|---|---|---|---|---|
| **Pesticides - Multimethod:** | | | | | | |
| Abamectin, sum | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Acephate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Acetamiprid | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Acetochlor | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Acrinathrin | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Alachlor | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Aldoxycarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Aldrin | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Allethrin | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Ametoctradin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Amisulbrom | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Amitraz | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Anilofos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Anthraquinone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Atrazine | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Azadirachtin | DIN EN 15662 | B2 | mg/kg | < 0.050 | 0.050 | - |
| Azinphos-ethyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Azinphos-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Azoxystrobin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Barban | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Benalaxyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Benfluralin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bifenazat | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bifenazat,sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bifenox | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bifenthrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bioresmethrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Biphenyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bitertanol | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Boscalid | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bromacil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bromocyclen | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bromophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bromophos-ethyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bromopropylate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bromuconazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Buprofezin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Butamifos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Butocarboxim (incl. -sulfoxide) | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Butralin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cadusafos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
| Captafol | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Captan | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Captan, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Carbaryl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Carbendazim/Benomyl, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Carbophenothion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Carboxin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Carfentrazone-ethyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chinomethionat | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorantraniliprole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorbenzilat | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorbufame | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Oxy-chlordane | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlordan, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlordimeform | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Chlorfenapyr | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorfenson | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Chlorfenvinphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorfluazuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlormephos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorpropham | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chloropropylate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorpyrifos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorpyrifos-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorthal-dimethyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorothalonil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorthion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorthiophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlozolinate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Clofentezine | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Clomazone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Clothianidin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Crotoxyphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Coumaphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cyanofenphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cyanophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cyfluthrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cyhalothrin, lambda-, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cymoxanil | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Cypermethrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cypermethrine, alpha- | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cypermethrin, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cyphenothrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cyproconazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cyprodinil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| DDT, sum calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| DEF | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Deltamethrin, cis | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Demeton-S-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
| Desmethy-formamido-pirimicarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dexmethylpirimicarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Diafenthiuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dialifos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Diallate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Diazinon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dichlobenil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dichlofenthion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dichlofluanid | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dichlorbenzophenone calc. as Dicofol | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Dichlorbenzophenone | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Dichlorvos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Diclofop-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dicloran | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dicofol | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Dicrotophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dieldrin | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Dieldrin, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Difenoconazole | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Diflubenzuron | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Dimefox | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dimethoate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dimethomorph | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dimethylvinphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Diniconazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dinitramin | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Dinobuton | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dinocap | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dinotefuran | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dioxabenzofos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dioxathion | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Diphenylamine | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Disulfoton, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Ditalimfos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| DMST | DIN EN 15662 | B2 | mg/kg | < 0.050 | 0.050 | - |
| Edifenphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Endosulfan, in total | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Endrin | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Endrin ketone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| EPN | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Epoxiconazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Esbiothrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Ethion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Ethirimol | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Ethoprophos | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Ethoxyquin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Etofenprox | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Etoxazol | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
| Etridiazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Etrimfos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Famoxadone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenamidone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenamiphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenamiphos-sulfon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenamiphos-sulfoxide | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Sum (Fenamiphos, Fenamiphos-sulfon, Fenamiphos-sulfoxide) | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenarimol | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenazaquin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenbuconazol | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenchlorphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenchlorphos, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenhexamid | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenitrothion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenpropathrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenpropimorph | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenpyroximate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenson | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Fensulfothion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fensulfothion, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fensulfothion-oxon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fensulfothion-oxon-sulfone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fensulfothion-sulfone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenthion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenthion, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenvalerate, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fipronil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Flonicamid | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fluazifop-p-butyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fluazinam | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Flubendiamide | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fluchloralin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Flucythrinate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fludioxonil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Flufenoxuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fluopicolid | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fluopyram | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fluquinconazole | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Flusilazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Flutriafol | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fluvalinate, tau- | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Folpet | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Folpet, sum (incl. Phtalimide calc. as Folpet) | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Fonofos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
| Formothion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fosthiazat | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Halfenprox | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| HCH, alpha- | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| HCH, beta- | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| HCH, delta- | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| HCH, epsilon- | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Heptachlor, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Heptenophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Hexachlorobenzene | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Hexaconazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Hexaflumuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Hexazinone | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Hexythiazox | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Imazalil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Imidacloprid | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Indoxacarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Iodofenfos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Ioxynil-octanoate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Iprobenfos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Iprodione | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Isazofos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Isocarbophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Isodrin | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Isofenphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Isofenphos-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Isoprothiolane | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Isoxathion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Kresoxim-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Leptophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Lindane (HCH, gamma-) | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Lufenuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Malaoxon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Malathion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Malaoxon/Malathion, in total | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Mandestrobin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Mandipropamid | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Mecarbam | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Mepanipyrim-2-hydroxypropyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Mepanipyrim | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Mepronil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Metalaxyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Metalaxyl, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Metalaxyl-M | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Metazachlor | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Methacrifos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Methamidophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Methidathion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Methomyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
| Methoxychlor | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Methoxyfenozide | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Methylpentachlorphenylsulfide | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Metolachlor | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Metribuzin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Mevinphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Mirex | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Molinate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Monocrotophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Myclobutanil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Naled | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| N-desethyl-Pirimiphos-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Nitralin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Nitrofen | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Nonachlor, trans- | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Novaluron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Nuarimol | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Omethoate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Oxadixyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Oxamyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Oxydemeton-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Oxydemeton-methyl, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Oxyfluorfen | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Parathion (Parathion-ethyl) | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Parathion-methyl, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Penconazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pendimethalin | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Pentachloranisol (PCA) | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Pentachlorobenzene | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Permethrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Phenkapton | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Phenthoate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| 2-Phenylphenol (ortho-) | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| 2-Phenylhydroquinone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| 2-Phenylphenol, calc. as | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Phorate, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Phosalone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Phosmet | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Phosmet, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Phosphamidon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Phoxim | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Phtalimide | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Picoxystrobin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Piperonyl-butoxide | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Piperophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pirimicarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pirimiphos-ethyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pirimiphos-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
| Prochloraz | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Prochloraz sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Procymidone | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Profenofos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Profluralin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Prometryn | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Propamocarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Propargite | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Propetamphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Propiconazole | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Propyzamide | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Prothioconazole, (Prothioconazole-desthio, sum) | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Prothiofos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pyraclofos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pyraclostrobin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pyraflufen-ethylene | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pyrazophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pyridaben | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pyridaphenthion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pyrifenox | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pyrimethanil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pyriproxifen | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Quinalphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Quinoxyfen | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Quintozen, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Rotenon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| S421 | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Silafluofen | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Simazine | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Spinetoram | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Spinosad | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Spirodiclofen | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Spiromesifen | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Spirotetramat | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Spirotetramat and its Metabolites, cal. as Spirotetramat | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Spiroxamine | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Sulfotep | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Sulprofos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tebuconazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tebufenozide | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tebufenpyrad | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tecnazene | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Teflubenzuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tefluthrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| TEPP | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Terbacil | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
| Terbufos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Terbufos-sulfon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Terbufos-sulfoxide | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Terbuthylazine | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Terbutryn | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tetrachlorvinphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tetraconazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tetradifon | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Tetramethrin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tetrasul | DIN EN 15662 | B2 | mg/kg | < 0.005 | 0.005 | - |
| Thiabendazole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Thiacloprid | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Thiamethoxam | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Thiodicarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Thiometon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Thionazin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Thiophanate-methyl | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| THPI | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tolclofos-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tolfenpyrad | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tolylfluanid | DIN EN 15662 | B2 | mg/kg | < 0.050 | 0.050 | - |
| Tolylfluanid, sum | DIN EN 15662 | B2 | mg/kg | < 0.050 | 0.050 | - |
| Triadimefon | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Triadimenol | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Triallate | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Triamiphos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Triazophos | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Trichlorfon | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Trifloxystrobin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Triflumizole | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Triflumizole, sum | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Triflumuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Trifluralin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Triforin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Trimethacarb-3,4,5 | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Vamidothion | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Vinclozolin | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Zoxamide | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
| **Pesticides - Carbamates:** | | | | | | |
| Aldicarb, calc. in total | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Aminocarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Bendiocarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Benfuracarb | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Benthiavalicarb-isopropylene | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Carbetamide | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Carbofuran, in total calc. | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Cycloat | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Diethofencarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dioxacarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| EPTC | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Ethiofencarb (incl. -sulfoxid & -sulfon) | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenobucarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenoxycarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Formetanat | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Furathiocarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Iprovalicarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Isoprocarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Methiocarb, calc in total | DIN EN 15662 | B2 | mg/kg | < 0.020 | 0.020 | - |
| Metolcarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pebulat | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Promecarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Propham | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Propoxur | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Prosulfocarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Thiobencarb | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Thiofanox | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

| Sample 191242788 | organic green tea; F279 | | | | | |
|---|---|---|---|---|---|---|
| Parameter | Method | Lab | Unit | Result | Limit of quantification | Maximum residue level |
| **Pesticides- Phenylurea herbicides:** | | | | | | |
| Buturon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlorbromuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chloroxuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Chlortoluron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Dimefuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Diuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Fenuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Forchlorfenuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Isoproturon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Linuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Methabenzthiazuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Metobromuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Metoxuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Monolinuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Monuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Neburon | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Pencycuron | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |
| Tribenuron-methyl | DIN EN 15662 | B2 | mg/kg | < 0.010 | 0.010 | - |

Approved by: 27.11.2019 i.A. Heike Höfelmeier Customer Service Consultant Food.




Foto Nr. 001 der Probe 191242788

**Summary of used test methods:**

| | |
|---|---|
| ASU L 00.00-18, mod. | 1997-01, correction 2017-10.<br>Mod.: Determination of protein with Dumas<br>This method corresponds to AOAC 985.29 |
| ASU L 06.00-6 | 2014-08 |
| DIN EN 15621, mod. | 2012-04<br>Calculated from sodium<br>Modification: no freeze drying for liquid samples. Compensation by higher weight of the content. The norm is also used the analysis of fertiliser and food. |
| DIN EN 15621, mod. | 2012-04<br>Modification: no freeze drying for liquid samples. Compensation by higher weight of the content. The norm is also used the analysis of fertiliser and food. |
| DIN EN 15662 | 2009-02 |

| | |
|---|---|
| DIN EN 15662 | 2009-02 |
| DIN EN ISO 14891 | 2002-07<br>(N x 6,25), acc. to § 64 LFGB ASU L-01.00-60, 2002-12 |
| DIN ISO 14502-2 | 2007-12 |
| ISO 12966 mod., GC/FID | 2011-02<br>Mod.: sample preparation (reduction of sample amount and reagent volumes, modification of reagents, e.g. tert.butylmethylether instead of isooctane, 0.5N instead of 2N potassium hydroxide solution, SOP M 3315:2017-07 |
| ISO 1572 | 1980 |
| ISO 1575 | 1987-10 |
| SOP M 2569, HPLC | 2015-08 |
| calculated | Carbohydrates as difference of the determined parameters or as sum of the directly determined carbohydrates |
| calculated | Energy value according to Regulation (EU) 1169/2011, Annex XIV |

*The laboratory sites of the SGS group Germany according to the abbreviations mentioned above including the corresponding accreditation process numbers are listed at*
*http://www.institut-fresenius.de/filestore/89/laborstandortkuerzelsgs2.pdf.*

*** End of test report ***